

International Journal Of Health 1edicine and Current Researd

International Journal of Health Medicine and Current Research Vol. 5, Issue 03, pp.1744-1753, September, 2020

DOI:

10.22301/JJHMCR.2528-3189.1744

Article can be accessed online on: http://www.ijhmcr.com

ORIGINAL ARTICLE

INTERNATIONAL JOURNAL OF HEALTH MEDICINE AND **CURRENT RESEARCH**

COMPOUNDS THAT WORK FOR CORONA VIRUS, COVID - 19, MERS SARS, HIV / AIDS (PYRIDINE/PYRIDINIUM, PHYTOL, SQUALENE, DIMETHYL, AVIGAN (FAVIPIRAVIR). CHLOROOUINE)

Arend L. Mapanawang^{1,2}, Frangkie Mapanawang¹, Sarah Mapanawang^{1,2}, Qunthia Amanda Manitik^{1,2}, Sefnat Djinimangale^{1,2}, Dewi Eriyanti¹, Dolfina Galela¹, Ismail¹, Silvister Wungow¹, Averous Budiadji¹, Valerin Sahuleka¹, Suyanto³, Giovany M. Mapanawang⁴, Maykel Kiling^{1,5}, Marjes Tumurang^{1,5}, Martha Korompis^{1,5}, Sahrir Sillehu⁶, Blacius Dedi⁷

> ¹ Sekolah Tinggi Ilmu Kesehatan Makariwo Halmahera (STIKMAH) - Tobelo ²AKOM Manado ³Sekolah Tinggi Ilmu Ekonomi IPWI Jakarta ⁴Fakultas Kedokteran Universitas Kristen Duta Wacana (UKDW) ⁵Poltekes Kemenkes Manado ⁶STIKES Maluku Husada ⁷STIKES Karya Husada Semarang

ARTICLE INFO

Article History:

Received 07th April, 2020. Received in revised form 08th June, 2020. Accepted 10th August, 2020. Published online 30th Sept, 2020.

Key words:

Piperidine, Dimethyl, Squalene, Pĥytol, Qloroquin, COVID - 19, HIV / AIDS.

*Correspondence to Author: Arend L. Mapanawang College of Health Sciences Makariwo Halmahera

E-mail:

Arend_mapanawang@yahoo.com

ABSTRACT

Virus infection until now is still a problem in the world, this is caused by one of which is an antivirus. Various antiviral researches have been developed both synthetically, and herbal anti-virus supplements continue to be developed.

Research purposes: this is to find out the mapping of the use of antivirals in diseases caused by viruses such as Corona Family, SARS Cov, Mers Cov, COVID-19, HIV / AIDS, Hepatitis, Dengue, etc.

Benefits of Research: this is to get an idea of the development of antivirals both in synthesis and herbs that are being used both synthetic and herbal supplements globally.

Research methods: Reviewing articles and displaying the results of In vitro and In Vivo tests of compounds that act as antivirals.

Copyright © 2020, Arend L. Mapanawang. This is an open access article distributed under the creative commons attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Sillehu⁶, Blacius Dedi⁷, 2020 "Compounds That Work For Corona Virus, Covid - 19, Mers Sars, Hiv / Aids (Pyridine/Pyridinium, Phytol, Squalene, Dimethyl, Avigan (Favipiravir), Chloroquine)", International Journal Of Health Medicine And Current Research, 5, (03), 1744-1753.

Research result: showed that the most piperidine compound was used as an antiviral in Cov - MERS Cov SARS. HIV / AIDS, Hepatitis, Dengue, Cancer, then the compound Dimethyl sulfoxide for herpes and viruses, antimicrobials, phytol compounds immunostimulants, antimicrobials, squalene compounds for vaccine viruses, amino acids for HIV vaccines. Chloroquine compound is used for COVID - 19. In vitro Test Results Herbal supplements contained in compound Golobe (Zingiberaceae), pyridine, phytol, squalene, and in the Red Sea Star against the compound Dipidone.

Conclusion compounds of Dipidone, Dimethyl, Squalene, Phytol, and chloroquine are a new hope in the treatment of diseases for viruses such as COVID - 19, MERS, HIV / AIDS, Hepatitis, Herpes, Dengue, etc.

Introduction

Viral infections are still a problem in the world, especially the problem of drugs or antivirus. Viral disease has recently become a pandemic world problem because of COVID-19. Various COVID-19 countermeasures, which from January 2020 to early April 2020. Has claimed quite significant casualties with 2 million positive infections and has died above 50,000 patients. Various attempts to research the discovery of drugs, vaccines to fight the ferocity of SARS Cov 2 or COVID-19. (1,2,3)

The findings and use of antiviral drugs in various countries are also diverse in China using Qloroquinon and Tamiflu. In the USA, use Qloroquinon. In Spain using Anti HIV/AIDS. The research was conducted to

find the best formulations to ward off Corona. COVID-19 is the world pharmacy continues to develop antivirus from natural materials, herbal health supplement as developed STIKMAH Tobelo, Halmahera Indonesia, by developing the health supplement from the material Golobe (Zingiberaceae), Daun Pangi (Pangiar), the Red Seastar where the three herbs contain diperidone, phytol, dimethyl, squalene, as a supplement that has been used in-person HIV/AIDS with good results. (3,4,5) At Universitas Airlangga Surabaya develop Immunostimulator Supplement with ginger, turmeric, and Temulawak, as well as Supplement Nitrit Oxid (No) at Universitas Indonesia (UI) and Agricultural Institute Bogor (IPB), Develop red guava as antivirus Supplement (2,3,4,5,6)

Anuska C GK *et al.* In his research on the inhibition of piperidone against SARS Cov and MERS CoV gave good results because of the found functional inhibition, and this can be done further research for the effects of piperidone on COVID-19 which is currently a global pandemic of SARS Cov-2 A new hope is to find a variety of herbal ingredients to be used as anti-corona virus supplementation as well as HIV / AIDS and hepatitis. (3,4)

Takumi *et al.* examined the benefits of piperidone for HIV / AIDS, which in the compound Lamivudine contains piperidone. Where HIV / AIDS for 25 years is still a problem because it has not to cure HIV / AIDS in the world. James Chan *et al.* developed Dimethyl for anti-microbial, James Aquiler *et al.* developed dimethyl as an antiherpes. Rosmi Roy *et al.* developed the phytol

compound in developing immunostimulators for HIV / AIDS patients. Also, Mohamad Tank researched Phytol for antimicrobial disinfectants. Christofel B. Fox *et al.*, WHO, also developed squalene for the H1N1 vaccine and Antrax Virus.

Research methods

Conducted this research for reviewing by making a mapping review of various articles that have been published from multiple studies in the world using research data for each section by attaching compounds that play a role for certain viruses, for example, piperidine compounds used for Corona Virus (SARS Cov and MERS Cov) Hepatitis, HIV /

Discussion

Antivirus compounds have been more developed since the previous century. They were popping sharing viruses in the world. Coronavirus, HIV / AIDS, Hepatitis, H1N1, Anthrax and other types, made the company

AIDS carried out data collection at various sources. By using the data in the article being reviewed.

This research lasted for January 2020 Until April 2020, when the Pandemic COVID-19 epidemic broke out in 208 countries in the world.

In the research review of this article, it can give an idea that for handling severe cases of various infections. Virus mutants such as from Corona Virus to SARS Cov 2 (COVID - 19) can be carried out further research with the situations that hit each country and even claimed lives in almost every country that currently has 50,000 deaths.

researchers develop various antiviral compounds such as Piperidone, Dimethyl, Phytol, Squalene in inhibiting infections and replication of viruses, especially RNA, Corona, and HIV / HIV viruses. AIDS as the table below:

Virus Inhibiting Compounds

Table 1. Pyridine for Viruses, HIV / AIDS, Hepatitis

No	Name	Agents	Disease	Journal
1	Takumi et al	Pyridine / Pyridinium	HIV / AIDS	Science Derect 2015 21 (16); 3226-
				329
2	Mancelo DF et all	b-23-pyridine	HIV / AIDS	Archives Of Virology, 2017; 162
				(6); 1-11
3	Steven M et al	Pyridine oxide	HIV / AIDS	Antimicroba Agents Chemoter 2013;
				47 (9) 2951-7
4	Tao Wang et al	Piperidine Amida	HIV / AIDS	Ltd. Publication, US. 2016
		current Assignee UK	Inhibitors	

5	Xiao - Zhong et all	3-methyl piperidine -	HIV / AIDS	JZuis Zolbi, 2016; 17: 163-170
		2-one		
6	Anuska CGK et all	Piperidine	MERS Cov-	Eurj Med Chem 2018; 150: 334-346
			SARS Cov	
7	Ravik et all	Benzylidric	Cancer	Cancer Cel 2013; 24 (6): 791-805
		Piperidone		PCT 2020.
8	Hanberilona	Piperidone derivatives	Medical uses	PCT 2020.
9	Hasaac Osman et	3,5-bis (Oliledone) -4-	Dengue	Acta porusin 13.2017: 7 (4): 427-
	al1	piperidone		484)

Pyridine has been used as an antiviral for a long time, one of which is the pyridine compound, the antiviral drug Lamivudine for the treatment of HIV / AIDS, Hepatitis, MERS CoV, SARS CoV, HPV, Cancer, Dengue, etc. Pyridine inhibits the replication of Viruses such as the Transcriptase Enzyme in HIV / AIDS and inhibits the protein chain in MERS CoV and SARS CoV.

 Table 2. Dimethyl Sulfoxide (DMSO)

No	Name	Agents	Disease	Journal
1	James Chan et al	Dimethyl Sulfoxide	Antimicrobial	American Microbiology Society
		(DMSO)		1968: 16 (10) 1625-1626
2	JS Aquilar et all	Dimethyl Sulfoxide	Herpes Virus	BMC Infection, 2002: 9: 1421-
		(DMSO)		2334.
3	Field AK et al	Hydroxymethyl /	Herpes Virus	Procnat Century Century SCI,
		Methyl guanine	replication	1983: 80 (13) 4139-43.

Dimethyl has been used in cases of viruses such as in herpesvirus replication, antimicrobial, inhibition of Herpes virus replication, not to become more severe infections.

Table 3. Phytol and Benefits of Virus Obstacles

No	Name	Agents	Disease	Journal
1	Roshni Roy et al	Phytol	Immunostimulato	2012 Immunal 22 March
			r	
2	Mohammad Taghi	Phytol	Disinfectant /	Environ - health erg art management
	et al		antimicrobial	Journal 2015; 2 (1): 13-16

Phytol is a compound that is very instrumental in inhibiting the virus, as well as one of the immunostimulant compounds or immunomodulators. Phytol plays a role in increasing immunity, especially in cases that occur, such as in viral infections and other diseases.

.




Figure 1. Possible Signal Pathways Activated by Phytol-Based Immunostimulants

 Table 4. Squalene and its Benefits for Viruses

No	Name	Agents	Disease	Journal	
1	Christopher B.	Squalene	Parenteral	Molluculer, 2009 14 (9): 3286-3312	
	Fox et all		Vaccine, Anthrax,		
			and H1N1		
2	WHO	Squalene	alene Vaccine, Anthrax, 2008		
		and H1N1			
3	Wikipedia	Squalen	Vaccine Adjuvant	Access 2019	

Squalene has been used as a vaccine adjuvant, Squalene is known only in salmon oil, but it turns out that squalene is also obtained from herbal ingredients such as the Pangiar Leaf which is the highest compound in Pangi leaves, 21.25%.

Table 5. Amino acids play a role in viruses

No	Name	Agents	Disease	Journal
1	Bruce Welker	Amino acid	HIV Vaccine	Fexafeus 2010 detik.Com 2019
2	Asep Candoa	Amino acid	HIV Vaccine	Kompas Daily 11/09/2010 2019

Amino acids are compounds that play a role in viral infections, especially in the manufacture of virus vaccines

Table 6. Albumin For Role in Viruses

No	Name	Agents	Disease	Journal
1	Ristiana et al	Albuminfish	HIV	FK UNHAS 2008 Access 2019
2	Beuni vargas et al	S-pattways	HIV / AIDS	Antimicrobial Agent and Chemotherapy
				2019; 63 (3): 1744-18
3	Naidi Yong han	Autophagy process	COVID-19	Int. Journal of Biology and Science
	maybe Shen		(SARS Cov - 2)	2020.

Albumin in some studies can be used in cases of virus infection, HIV, AIDS, autophagy, also in some researches used for COVID-19 (SARS CoV 2).

Table 7. Lamivudine and Qloroquinon

No	Name	Agents	Disease	Journal
1	Wikipedia	Lamivudine	HIV / AIDS,	2/10/2009
			Hepatitis	
2	Christian A.	Choloroquinon	Corona Virus	International Journal of Antimicrobial
	Devauux et al		(COVID - 19)	Agent 2020. 31. March

Lamividune, in its use for the treatment of viruses such as HIV / AIDS and Hepatitis, has long been used. Lamivudine became the main line of HIV / AIDS treatment. Qloroquinon, which has been used for malaria patients, is currently being tested in COVID-19 cases in several countries such as China and the USA and several other countries. Although WHO has not recommended Qloroquinon, but in the USA, it is currently the primary drug in the management of COVID - 19. It is reported that there are patients who recover after being given Qloroquinon.




Figure 2. Overview of Qloroquin for COVID Disease - 19

Table 8. Favipiravir (Avigan), Carrimycin, and Renin Angiotensin Aldosterone System

No	Name	Agents	Disease	Journal
1	Glorya Sp	Favipiravir (Avigan)	Corona Virus	Kompas, March 19, 2020
			(COVID - 19)	
2	Jin Ronghi	Carrimycin	Corona Virus	Beijing Sister News Trial, 2020.
			(COVID - 19)	April 7
3	Muthiah	Renin-Angiotensin-	Corona Virus	N Engl J Med, 2020, April 2
		Aldosterone System	(COVID - 19)	

The use of antiviral for pandemic COVID - 19, various types and varies by country, some use Avigan in Japan, Carrimycin in China, and Renin-Angiotensin-Aldosterone in several European counters. All kinds of antivirus are in the Trial stage for COVID - 19 patients.

Table 9. Herbs for Corona Virus (COVID - 19, SARS, MERS)

No	Name	Agents	Disease	Journal
1	Pangi	Dymethilamino,	Corona Virus	IJHMCR, 2020; 5 (1):
		Metylborane, Phytol,	(COVID - 19,	1565-1571
		Squalene,	MERS, SARS),	
		Dimethyldodecilloxy,	HIV / AIDS,	

		Pyridine	Hepatitis	
2	Golobe	Dehydroxy-6-methyl,	Corona Virus	IJHMCR, 2020; 5 (1):
		Methyl Spiro, Dimethyl,	(COVID - 19,	1565-1571
		Ethyl Esther, Amino	MERS, SARS),	
		Acid, Dietilpyridin	HIV / AIDS,	
			Hepatitis	
3	Red Sea Star	Butanoic Acid, 3-	Corona Virus	IJHMCR, 2020; 5 (1):
		Methyl-, 2-Piperidone,	(COVID - 19,	1565-1571
		2-Hydroxy-3,5,5-	MERS, SARS),	
		trimethyl-cyclohex-2-	HIV / AIDS,	
		enone 28,682,	Hepatitis	
		Hexadecanoic acid, 3-		
		hydroxy-, methyl ester,		
		Methyl 3-		
		Hydroxyhexadecanoate		
		• •		

Herbal medicine is currently being developed to increase endurance, immunity, immunostimulants, inhibit viruses such as Herbs examined by Tobelo STIKMAH, such as Pangi Leaves which have the compound Dimethyl pyridine (Antivirus), immunostimulants), Squalene (as an adjuvant for vaccines, and vitamin E as an antioxidant in red compounds containing 21% piperidone an antiviral (IJHMCR as , 2020; 5 (1): 1565-1571)




Figure 3. Pangi Research Results

Figure 4. Golobe Research Results

Conclusion

Research on the effectiveness of the virus to date continues both synthetically and herbal. Research for viral diseases such as HIV / AIDS, MERS Cov, SARS Cov, Dengue, etc. Various ingredients such as Piperidine, Dimethyl, Phytol, Squalene, are compounds that play a role in viral cases. Need further research for the development of antivirus, especially when the pandemic COVID-19 that hit in early 2020.

BIBLIOGRAPHY

- Takumi Yasuno et all. The Human Immunodeficiency Virus reverse transcriptase Inhibitor Activity of the Pyridine / Pyridium-Type Fullerene derivates novel, Science Direct, 2015; 25 (16): 3226-3229.https://www.sciencedirect.com/science/article.
- 2. Christopher B. Fox. Squalene Emulsifiers For Parenteral Vaccine and Drug Delivery, Molecules, 2009; 14 (9): 3286-3312.
- 3. Mancelo Damias Ferreira de, Meness; Thieno 23 pyridine derivatives a new class of antivirus drugs against mayaro virus. Archives Of Virology, 2017; 162 (6): 1-11. https://www/.researchgati.net/public. Virus.
- 4. JS Agulan. *Et al*l, Dimethyl Sulfoxide, blocks herpes simplex virus 1, Productive Infection In Vitro acting at different stages with positive cooperativity. Application of micro-assay analysis, BMC Infection. Diseases, 2002; 9: 1421-2334. https://bmcinfecdisease.biomedcentral.com/article/10.1186/1421-2334-2-9.
- 5. Stevens m, *et al*l. Inhibition Of Human Immunodeficiency Virus By A New Class Of Pyridine Oxide derivatives. Antimicrob Agents Chemother; 2003; 47 (9) 2951-7.

- 6. Field AK *et al*l, 9 9-([2-hydroxy-1-(hydroxymethyl)ethoxy]methyl)guanine: a selective inhibitor of herpes group virus replication- Proc Natl Acad Sci, 1983; 80 (1304139-43.
- 7. Bruce Walker, an amino acid for HIV vaccine Massachusetts General Hospital and Harvard University. Fox News. 2010.https://health.detik.com/beritadetikhealth/d-1489035/key for vaccine-HIV-in amino acid access 10/2/2019.
- 8. WHO, Squalene-based adjuvants ni vaccine, Global Vaccine Safety, 2008. Access. https://www.who.nit/vaccine.
- 9. Wikipedia, Squalene us as an adjuvant in vaccines safety / committee / topics / adjuvants / squalene. https://en.wikipedia.org/wiki/squalene. Access 3/10/2019.
- Roshni Roy *et al*l. Phytol derived novel isoprenoid immunostimulants. Immuno L. 22 March 2012. https:>/doi.org/10.3389/Finance, 2012.
- 11. Asep Candra. Amino Acid, HIV Herbal Key, kompas.com daily. 11/09/2010, accessed 10/02/2019 https://lifestyle.kompas.com/read/2020/11/09/08330626 / Asam.amino.kunci.herbal.hiv.
- 12. Wikipedia Lamivudine, Medical uses for HIV / AIDS, and Hepatitis B. Http: /id.wikipedia.org/wiki/lamivudine/ access 2/2/2019
- 13. Benni Vorgas, *et al*l. Inhibitors of signaling pathways that block reversal of HIV Latency. Antimicrobial Agents and Chemotherapy, 2019; 63 (3) 1744-18.
- 14. James C. Chan *et al.*, Virucidal Properties of Dimethyl sulfoxide (DMSO), American society for microbiology, 1968; 16 (10): 1625-1626.
- 15. Mohamamad Taghi Ghanian, Antimicrobial Activity, Toxicity, and stability, of phytol as a

- novel surface disinfectant. Environmental Health engineering and management journal. 2015; 2 (1): 13-16.
- 16. Restiana et al., The Influence Of Striped Srekehed Fish (Chona Striata), Extract on albumin level and nutrition status of HIV / AIDS Patients with ARV Thangry. Faculty of Medicine, UNHAS 2008. Access 02/10/2019.
- 17. Tao Wang et all. Piperidine amide derivatives as HIV attachment inhibitors. Current Assignee. Vii Healthcare UK (5) Ltd. Publications of the US. 20150210684a1, 2016-11-29.
- 18. Gloria Setyavani Putri, et all, Avigan and Cloroquin Sundries, the COVID - 19 drugs brought by the government. Kompas, 2020, 19 Death
- 19. Gloria Setyavani Putri, Japan's Fujifihan Avigan Flu Medicine Effective Overcome Corona. Kompas, 2020, 19 Death.
- 20. Jin Ronghua. The Carrimycine Clinical Trial in China An Obscure Drug Tapreting Upper Respiratory Infection. Beijing, 2020. April 7.
- 21. Muthiah Vadeganathan, et all. Reunion-Angiotensin-Aldosterone System. Inhibitors In Patients With COVID-19. N Engl J Med. 2020, April 2.
- 22. Arend L. Mapanawang, et all. The Invention Of Chemical Compounds Of Herbal Medicine Containing Pyridine For Corona Virus (COVID-19, Mers), HIV / AIDS, and Hepatitis, IJHMCR, 2020; 5 (1) 1565-1571
